




RATCHET CABLE CUTTER

INDUSTRIAL TOOLS



Industrial tooling solutions

www.clarkehandtools.com



RCC32C

Ratchet Cable Cutter

Forged blade, long lifespan, easy cutting; for Cu/Al cable only; do not cut steel wire.

TECHNICAL DATA

Cutting Range:	Φ 32 mm Max. 300mm ²
Overall Length:	255mm (approx)
Net Weight:	0.7 kg

⚠ Note: Do not cut steel cables (ACSR, steel strand) and wire ropes.
Not suitable for steel wire armored cables.



Steel Tape Armored
Cu/Al Cable



Steel Wire
Armored Cables



ACSR



Mild Steel Bar



Steel Strand



Wire Ropes



RCC55C

Ratchet Cable Cutter

Advanced ratchet mechanism designed to save your labor and cut with ease.

TECHNICAL DATA

Cutting Range:	Φ 52 mm Max. 500mm ²
Overall length:	360 mm (approx)
Net Weight:	1.1 kg

⚠ Note: Do not cut steel cables (ACSR, steel strand) and wire ropes.
Not suitable for steel wire armored cables.



Steel Tape Armored
Cu/Al Cable



Steel Wire
Armored Cables



ACSR



Mild Steel Bar



Steel Strand



Wire Ropes





RCC38C Ratchet Cable Cutter

1000V Insulated Handle – Safe for High-Voltage Work



TECHNICAL DATA

Cutting Range: Φ 38 mm Max. 400mm ²	
ACSR:	400mm ² (steel wire max. Φ 2.5 mm)
Mild Steel Bar:	max. Φ 10mm
Chain:	4 mm G30
Stainless Steel Tube:	O.D. 38 mm (wall thickness max. 2.5 mm)
Overall length:	360 mm (approx)
Net Weight:	1.3 kg

Super lightweight yet powerful, blades specially heat-treated and ACSR rated. Perfect for lineman and work at height.

⚠ Note: Do not cut steel strand and wire ropes.
Not suitable for high-voltage XLPE cables.



O.D. 38 mm
wall thickness
max. 2.5 mm




Stainless Steel Tube



4 mm
G30



Chain



steel wire
max. Φ 2.5 mm
400mm²



ACSR



Mild Steel Bar



Steel Tape
Armored
Cu/Al Cable



Steel Wire
Armored Cables



Low-voltage
XLPE Cable



Steel Strand




Wire Ropes



High-Voltage
XLPE Cable



400 mm² ACSR cable,
steel wire max. Φ 2.5 mm;



RCC70C Ratchet Cable Cutter

Heavy-duty Ratchet Cable Cutter for Cu/Al Cable Cutter

TECHNICAL DATA

Cutting Range: Φ 70 mm (Max. 4x120mm²)

Overall length: 415-575 mm (approx)

Net Weight: 3.7 kg

⚠ Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.



Telescopic Handles



Steel Tape Armored
Cu/Al Cable



Steel Wire
Armored Cables



ACSR



Mild Steel Bar



Steel Strand



Wire Ropes

RCC90C Ratchet Cable Cutter

Heavy-duty Ratchet Cable Cutter for Cu/Al Cable Cutter

TECHNICAL DATA

Cutting Range: Φ 90 mm (Max. 4x185mm²)

Overall length: 440-605 mm (approx)

Net Weight: 5.1 kg

⚠ Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.



Telescopic Handles



Steel Tape Armored
Cu/Al Cable



Steel Wire
Armored Cables



ACSR



Mild Steel Bar



Steel Strand



Wire Ropes



RATCHET CABLE CUTTER

INDUSTRIAL TOOLS



Industrial tooling solutions
www.clarkehandtools.com



Ratchet Cable Cutter









RCC32C Ratchet Cable Cutter

Forged blade, long lifespan, easy cutting; for Cu/Al cable only; do not cut steel wire.

TECHNICAL DATA

Cutting Range:	Φ 32 mm Max. 300mm ²
Overall Length:	255mm (approx)
Net Weight:	0.7 kg

Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.

 ✓	 ✗	 ✗
 ✗	 ✗	 ✗









RCC55C Ratchet Cable Cutter

Advanced ratchet mechanism designed to save your labor and cut with ease.

TECHNICAL DATA


Cutting Range:	Φ 52 mm Max. 500mm ²
Overall length:	360 mm (approx)
Net Weight:	1.1 kg

Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.

 ✓	 ✗	 ✗
 ✗	 ✗	 ✗



Ratchet Cable Cutter



RCC38C Ratchet Cable Cutter





1000V Insulated Handle - Safe for High-Voltage Work

TECHNICAL DATA

Cutting Range:	Φ 38 mm Max. 400mm ²
ACSR:	400mm ² (steel wire max. Φ 2.5 mm)
Mild Steel Bar:	max. Φ 10mm
Chain:	4 mm G30
Stainless Steel Tube:	O.D. 38 mm (wall thickness max. 2.5 mm)
Overall length:	360 mm (approx)
Net Weight:	1.3 kg

Super lightweight yet powerful, blades specially heat-treated and ACSR rated. Perfect for lineman and work at height.

Note: Do not cut steel strand and wire ropes. Not suitable for high-voltage XLPE cables.

 ✓	 ✓	 ✓	 ✓		
 ✓	 ✓	 ✓	 ✗	 ✗	 ✗



400 mm² ACSR cable, steel wire max. Φ 2.5 mm;



Ratchet Cable Cutter



RCC70C Ratchet Cable Cutter

Heavy-duty Ratchet Cable Cutter for Cu/Al Cable Cutter

TECHNICAL DATA

Cutting Range:	Φ 70 mm (Max. 4x120mm ²)
Overall length:	415-575 mm (approx)
Net Weight:	3.7 kg

Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.

 ✓	 ✗	 ✗
 ✗	 ✗	 ✗









RCC90C Ratchet Cable Cutter

Heavy-duty Ratchet Cable Cutter for Cu/Al Cable Cutter

TECHNICAL DATA

Cutting Range:	Φ 90 mm (Max. 4x185mm ²)
Overall length:	440-605 mm (approx)
Net Weight:	5.1 kg

Note: Do not cut steel cables (ACSR, steel strand) and wire ropes. Not suitable for steel wire armored cables.

 ✓	 ✗	 ✗
 ✗	 ✗	 ✗